

ENDOMYSIAL ANTIBODY IGA -IFA

Profile Details | 1 Parameters

Fasting: Overnight fasting for 9-12 hours | Report Time: Next Day



Specimen Required: Blood

Price- ₹2600 **₹1649**

Parameters Included

About This Test

Endomysial antibodies (EMA) are directed against the endomysium, a connective tissue structure surrounding muscle fibers. The EMA test is primarily used to diagnose celiac disease, an autoimmune disorder triggered by the ingestion of gluten, which damages the small intestine. In celiac disease, the immune system produces EMA in response to the presence of gluten, leading to inflammation and damage in the intestines. The EMA test is highly specific for celiac disease and helps confirm a diagnosis, especially in patients with symptoms like chronic diarrhea, abdominal pain, or malabsorption. The test is often used alongside other diagnostic methods, such as tissue transglutaminase (tTG) antibody tests and biopsy of the small intestine. Accurate measurement of EMA levels aids in diagnosing celiac disease, assessing disease activity and monitoring adherence to a gluten-free diet, thus guiding effective management and improving patient outcomes.



98% On-Time Reports
Available 24x7



95% Sample Accuracy
NABL Certified Labs



Free Home Collection
Door-to-Door Pickup



Expert Doctors
Across India



750+ Lab Tests
Trusted & Reliable

*Fasting 10-12 hrs essential | *Limited Period Offer | *Reports within Next Day

For appointments and queries: **82733 39996** | www.thexpertlab.com